


MILL CERTIFICATE

CLIENT: UNIMECH ENGINEERING (M) SDN BHD WISMA UNIMECH, 4934 JALAN CHAIN FERRY, 12100 BUTTERWORTH PENANG, MALAYSIA	DESCRIPTION: 234PCS OF ARITA SS BALL VALVE FE AS PER P/INV/NO. FS0408 DRAWN UNDER HONG LEONG BANK BERHAD, LC NO.LCPRA041553 DATED 02 DECEMBER 2020.	Client's Order No: ZPO-2009-0034																																																							
STANDARD OF CHEMICAL COMPOSITION	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>C</th> <th>Si</th> <th>Mn</th> <th>P</th> <th>S</th> <th>Ni</th> <th>Cr</th> <th>Mo</th> <th>TENSILE σ_b(Mpa)</th> <th>YIELD σ_s(Mpa)</th> <th>ELONGATION δ (Mpa)</th> </tr> </thead> <tbody> <tr> <td>SCS14A <input checked="" type="checkbox"/></td> <td>1.50</td> <td>1.50</td> <td>0.04</td> <td>0.04</td> <td>9-12</td> <td>18-21</td> <td>2-3</td> <td>≥481</td> <td>≥206</td> <td>≥33</td> </tr> <tr> <td>CF8M <input checked="" type="checkbox"/></td> <td>1.50</td> <td>1.50</td> <td>0.04</td> <td>0.04</td> <td>9-12</td> <td>18-21</td> <td>2-3</td> <td>≥485</td> <td>≥205</td> <td>≥30</td> </tr> <tr> <td>SCS13A <input checked="" type="checkbox"/></td> <td>0.08</td> <td>2.00</td> <td>0.04</td> <td>0.04</td> <td>8-11</td> <td>18-21</td> <td>----</td> <td>≥481</td> <td>≥206</td> <td>≥33</td> </tr> <tr> <td>CF8 <input checked="" type="checkbox"/></td> <td>0.08</td> <td>2.00</td> <td>0.04</td> <td>0.04</td> <td>8-11</td> <td>18-21</td> <td>0.5</td> <td>≥485</td> <td>≥205</td> <td>≥35</td> </tr> </tbody> </table>	C	Si	Mn	P	S	Ni	Cr	Mo	TENSILE σ _b (Mpa)	YIELD σ _s (Mpa)	ELONGATION δ (Mpa)	SCS14A <input checked="" type="checkbox"/>	1.50	1.50	0.04	0.04	9-12	18-21	2-3	≥481	≥206	≥33	CF8M <input checked="" type="checkbox"/>	1.50	1.50	0.04	0.04	9-12	18-21	2-3	≥485	≥205	≥30	SCS13A <input checked="" type="checkbox"/>	0.08	2.00	0.04	0.04	8-11	18-21	----	≥481	≥206	≥33	CF8 <input checked="" type="checkbox"/>	0.08	2.00	0.04	0.04	8-11	18-21	0.5	≥485	≥205	≥35	
C	Si	Mn	P	S	Ni	Cr	Mo	TENSILE σ _b (Mpa)	YIELD σ _s (Mpa)	ELONGATION δ (Mpa)																																															
SCS14A <input checked="" type="checkbox"/>	1.50	1.50	0.04	0.04	9-12	18-21	2-3	≥481	≥206	≥33																																															
CF8M <input checked="" type="checkbox"/>	1.50	1.50	0.04	0.04	9-12	18-21	2-3	≥485	≥205	≥30																																															
SCS13A <input checked="" type="checkbox"/>	0.08	2.00	0.04	0.04	8-11	18-21	----	≥481	≥206	≥33																																															
CF8 <input checked="" type="checkbox"/>	0.08	2.00	0.04	0.04	8-11	18-21	0.5	≥485	≥205	≥35																																															
(TEST CONDITIONS TO API598 UNLESS OTHERWISE STATED)																																																									
DESCRIPTION	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>END CONNECTION</th> <th>SHELL TEST (Mpa)</th> <th>HIGH-PRESSURE TEST (Mpa)</th> <th>LOW-PRESSURE TEST (Mpa)</th> <th>BACKSEAT TEST (Mpa)</th> <th>TEMPERATURE -29°C_180°C (SS valve) -29°C_300°C (CS valve)</th> </tr> </thead> <tbody> <tr> <td>150LB-ball valve <input checked="" type="checkbox"/></td> <td>FLGD <input checked="" type="checkbox"/> SCREW <input type="checkbox"/></td> <td>3.2</td> <td>0.6</td> <td></td> <td></td> </tr> <tr> <td>10K-ball valve <input checked="" type="checkbox"/></td> <td>FLGD <input checked="" type="checkbox"/> SCREW <input type="checkbox"/></td> <td>3.2</td> <td>0.6</td> <td></td> <td></td> </tr> <tr> <td>PN16-ball valve <input checked="" type="checkbox"/></td> <td>FLGD <input checked="" type="checkbox"/> SCREW <input type="checkbox"/></td> <td>3.2</td> <td>0.6</td> <td></td> <td></td> </tr> <tr> <td>150LB-swing check <input type="checkbox"/></td> <td>FLGD <input type="checkbox"/> SCREW <input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>300LB-gate valve <input type="checkbox"/></td> <td>FLGD <input type="checkbox"/> SCREW <input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	END CONNECTION	SHELL TEST (Mpa)	HIGH-PRESSURE TEST (Mpa)	LOW-PRESSURE TEST (Mpa)	BACKSEAT TEST (Mpa)	TEMPERATURE -29°C_180°C (SS valve) -29°C_300°C (CS valve)	150LB-ball valve <input checked="" type="checkbox"/>	FLGD <input checked="" type="checkbox"/> SCREW <input type="checkbox"/>	3.2	0.6			10K-ball valve <input checked="" type="checkbox"/>	FLGD <input checked="" type="checkbox"/> SCREW <input type="checkbox"/>	3.2	0.6			PN16-ball valve <input checked="" type="checkbox"/>	FLGD <input checked="" type="checkbox"/> SCREW <input type="checkbox"/>	3.2	0.6			150LB-swing check <input type="checkbox"/>	FLGD <input type="checkbox"/> SCREW <input type="checkbox"/>					300LB-gate valve <input type="checkbox"/>	FLGD <input type="checkbox"/> SCREW <input type="checkbox"/>																								
END CONNECTION	SHELL TEST (Mpa)	HIGH-PRESSURE TEST (Mpa)	LOW-PRESSURE TEST (Mpa)	BACKSEAT TEST (Mpa)	TEMPERATURE -29°C_180°C (SS valve) -29°C_300°C (CS valve)																																																				
150LB-ball valve <input checked="" type="checkbox"/>	FLGD <input checked="" type="checkbox"/> SCREW <input type="checkbox"/>	3.2	0.6																																																						
10K-ball valve <input checked="" type="checkbox"/>	FLGD <input checked="" type="checkbox"/> SCREW <input type="checkbox"/>	3.2	0.6																																																						
PN16-ball valve <input checked="" type="checkbox"/>	FLGD <input checked="" type="checkbox"/> SCREW <input type="checkbox"/>	3.2	0.6																																																						
150LB-swing check <input type="checkbox"/>	FLGD <input type="checkbox"/> SCREW <input type="checkbox"/>																																																								
300LB-gate valve <input type="checkbox"/>	FLGD <input type="checkbox"/> SCREW <input type="checkbox"/>																																																								
We hereby certify that all the valves of supplied are manufactured, assembled and tested in our company. Condition shown in the certification has been carried out and witness.																																																									
																																																									
DATE: 2020/12/7 INSPECTION DEPARTMENT: WUXI FUSHENG VALVE INDUSTRIAL CO., LTD (QA DEPARTMENT) AS MILL																																																									