




1-1,共1頁

ITEM	MODEL	QTY	SPEC.			MANUFACTURICHG DATA		MATERIAL						
			N.B. (INCH)	TOTAL LENGTH (mm)	AXIAL MOVEMENT (mm)	WORKING PRESSURE (Kg/cm ²)	DATE	NO.	BELLOWS	FLANGE	INT.SLEEVE	TUBE ENDS	TIE RODS	EXT.COVER
1	JF150SG	6	1"	300	+10-40	10K	23/03/2022	L23230/L23231	SUS304	SS400 JIS 10K	SUS304	—	SS400	—
2	JF150SG	70	2"	300	+10-40	10K	23/03/2022	L23230/L23231	SUS304	FCD400 JIS 10K	SUS304	—	SS400	—
3	JF150SG	10	4"	300	+10-40	10K	23/03/2022	L23230/L23231	SUS304	FCD400 JIS 10K	SUS304	—	SS400	—
4	JF150SG	16	6"	300	+10-40	10K	23/03/2022	L23230/L23231	SUS304	FCD400 JIS 10K	SUS304	—	SS400	—
5	JF150SG	10	8"	300	+10-40	10K	23/03/2022	L23230/L23231	SUS304	FCD400 JIS 10K	SUS304	—	SS400	—
6	JF150SG	5	2"	300	+10-40	150psi	23/03/2022	L23230/L23231	SUS304	FCD400 150LB	SUS304	—	SS400	—
7	JF150SG	70	2-1/2"	300	+10-40	150psi	23/03/2022	L23230/L23231	SUS304	FCD400 150LB	SUS304	—	SS400	—
8	JF150SG	30	3"	300	+10-40	150psi	23/03/2022	L23230/L23231	SUS304	FCD400 150LB	SUS304	—	SS400	—
9	JF150SG	10	6"	300	+10-40	150psi	23/03/2022	L23230/L23231	SUS304	FCD400 150LB	SUS304	—	SS400	—
10	JF150SG	2	10"	300	+10-40	150psi	23/03/2022	L23230/L23231	SUS304	FCD400 150LB	SUS304	—	SS400	—
11	JF150SG	30	4"	300	+10-40	16bar	23/03/2022	L23230/L23231	SUS304	FCD400 PN16	SUS304	—	SS400	—
12	JF150SG	20	5"	300	+10-40	16bar	23/03/2022	L23230/L23231	SUS304	FCD400 PN16	SUS304	—	SS400	—
13	JF150SG	20	6"	300	+10-40	16bar	23/03/2022	L23230/L23231	SUS304	FCD400 PN16	SUS304	—	SS400	—
14	JF400SG	10	2-1/2"	350	+10-40	20K	23/03/2022	L23230/L23231	SUS304	SS400 JIS 20K	SUS304	SS400	SS400	—
15	JF400SG	5	3"	350	+10-40	20K	23/03/2022	L23230/L23231	SUS304	SS400 JIS 20K	SUS304	SS400	SS400	—
16	JF400SG	32	4"	350	+10-40	20K	23/03/2022	L23230/L23231	SUS304	SS400 JIS 20K	SUS304	SS400	SS400	—
17	JF400SG	4	3"	350	+10-40	300psi	23/03/2022	L23230/L23231	SUS304	SS400 PN40	SUS304	SS400	SS400	—
18	JF400SG	5	6"	350	+10-40	300psi	23/03/2022	L23230/L23231	SUS304	SS400 PN40	SUS304	SS400	SS400	—
19	JF250SP	20	2"	350	+10-40	10K	23/03/2022	L23230/L23231	SUS304	—	SUS304	SS400	SS400	—
20	JF250SP	2	2-1/2"	350	+10-40	10K	23/03/2022	L23230/L23231	SUS304	—	SUS304	SS400	SS400	—
21	JF250SP	15	4"	13"	+10-40	10K	23/03/2022	L23230/L23231	SUS304	—	SUS304	SS400	SS400	—

NOTE : Four Copies For this material Certificate
 "DRAWN UNDER HONG LEONG BANK BERHAD,
 LC NO: LCpra 042284, DATED: 11 MARCH 2022"

Company:  Manager:  Inspector: 

JOIN FORCE BELLOWS CO., LTD.

CERT NO: JFC20220323

MILL CERTIFICATE

DATE : 23/03/2022

CUSTOMER: EL ETERNAL(TAIWAN)CO.,LTD

ITEM	MODEL	N.B. (INCH)	QTY	Inspection										Test					
				DN		Length		Flanges		Bellows		Welding		Bolts & Nuts		Pressure			
				accepted	Not accepted	accepted	Not accepted	accepted	Not accepted	accepted	Not accepted	accepted	Not accepted	accepted	Not accepted	accepted	Not accepted		
1	JF150SG	1"	6	√		√		√		√		√		√		√		√	
2	JF150SG	2"	70	√		√		√		√		√		√		√		√	
3	JF150SG	4"	10	√		√		√		√		√		√		√		√	
4	JF150SG	6"	16	√		√		√		√		√		√		√		√	
5	JF150SG	8"	10	√		√		√		√		√		√		√		√	
6	JF150SG	2"	5	√		√		√		√		√		√		√		√	
7	JF150SG	2-1/2"	70	√		√		√		√		√		√		√		√	
8	JF150SG	3"	30	√		√		√		√		√		√		√		√	
9	JF150SG	6"	10	√		√		√		√		√		√		√		√	
10	JF150SG	10"	2	√		√		√		√		√		√		√		√	
11	JF150SG	4"	30	√		√		√		√		√		√		√		√	
12	JF150SG	5"	20	√		√		√		√		√		√		√		√	
13	JF150SG	6"	20	√		√		√		√		√		√		√		√	
14	JF400SG	2-1/2"	10	√		√		√		√		√		√		√		√	
15	JF400SG	3"	5	√		√		√		√		√		√		√		√	
16	JF400SG	4"	32	√		√		√		√		√		√		√		√	
17	JF400SG	3"	4	√		√		√		√		√		√		√		√	
18	JF400SG	6"	5	√		√		√		√		√		√		√		√	
19	JF250SP	2"	20	√		√		√		√		√		√		√		√	
20	JF250SP	2-1/2"	2	√		√		√		√		√		√		√		√	
21	JF250SP	4"	15	√		√		√		√		√		√		√		√	

FINANCED BY HONG KONG BANK LTD

ITEM	MODEL	N.B. (INCH)	QTY	Inspection					Test		
				DN	Length	Flanges	Bellows	Welding	Bolts & Nuts	Pressure	
2-2 共2套 JF150SG		1"	6	DN25	300±3mm	JIS 10K	40	>3mm	1/2"x2	The test medium is water, test pressure is 1.5 times the design pressure test pressure shall be aintained for 10mins	
JF150SG		2"	70	DN50	300±3mm	JIS 10K	24	>3mm	1/2"x2		
JF150SG		4"	10	DN100	300±3mm	JIS 10K	16	>3mm	1/2"x2		
JF150SG		6"	16	DN150	300±3mm	JIS 10K	14	>3mm	5/8"x4		
JF150SG		8"	10	DN200	300±3mm	JIS 10K	13	>3mm	5/8"x4		
JF150SG		2"	5	DN50	300±3mm	ANSI 15OLB	24	>3mm	1/2"x2		
JF150SG		2-1/2"	70	DN65	300±3mm	ANSI 15OLB	20	>3mm	1/2"x2		
JF150SG		3"	30	DN80	300±3mm	ANSI 15OLB	20	>3mm	1/2"x3		
JF150SG		6"	10	DN150	300±3mm	ANSI 15OLB	14	>3mm	5/8"x4		
JF150SG		10"	2	DN250	300±3mm	ANSI 15OLB	12	>3mm	3/4"x4		
JF150SG		4"	30	DN100	300±3mm	PN16	16	>3mm	1/2"x3		
JF150SG		5"	20	DN125	300±3mm	PN16	15	>3mm	5/8"x4		
JF150SG		6"	20	DN150	300±3mm	PN16	14	>3mm	5/8"x4		
JF400SG		2-1/2"	10	DN65	350±3mm	JIS 20K	20	>3mm	1/2"x4		
JF400SG		3"	5	DN80	350±3mm	JIS 20K	20	>3mm	1/2"x4		
JF400SG		4"	32	DN100	350±3mm	JIS 20K	16	>3mm	1/2"x4		
JF400SG		3"	4	DN80	350±3mm	PN40	20	>3mm	1/2"x4		
JF400SG		6"	5	DN150	350±3mm	PN40	14	>3mm	3/4"x4		
JF250SP		2"	20	DN50	330±3mm	—	24	>3mm	—		
JF250SP		2-1/2"	2	DN65	330±3mm	—	20	>3mm	—		
JF250SP		4"	15	DN100	330±3mm	—	16	>3mm	—		

NOTE : NOTE : Four Copies For this material Certificate

"DRAWN UNDER HONG LEONG BANK BERHAD,

LC NO: LCpra 042284, DATED: 11 MARCH 2022"



NOTE :